



ShowerTronic



CHANGE THE WAY YOU SHOWER.

It's time to welcome state-of-the-art technology into the bathroom. It's time to expect a revolution in your showering experience. A revolution that delivers the ultimate luxury and comfort while you shower. It's the new benchmark in showering luxury. And it awaits the touch of your finger's command.



THE REVOLUTIONARY **Artize** ShowerTronic

The electronic, thermostatic and flow-static mixer that's the best thing to ever happen to showering!

Artize Showertronic is an intelligent water mixer system, which brings state-of-the-art technology to the bathroom. Delivering the ultimate in luxury and comfort, it automatically maintains the water temperature and flow rate as you shower. At the touch of a fingertip on the high-durability, waterproof touchpad, you can choose your shower mode, control the temperature, and manage water flow.



TECHNOLOGY FOR AN
UNMATCHED SHOWERING
EXPERIENCE



TEMPERATURE AND FLOW AS YOU LIKE IT

How does Artize ShowerTronic do a better, more precise, more reliable job of giving you water at the temperature you desire?

The answer lies in the **advanced technology** behind the beautiful, simple, waterproof, touch-pad interface – a perfect balance between functional simplicity and technical complexity.

Showertonic's innovative, **electronic, thermostatic mixing system** has a set of **electronic valves, and multiple sensors**. These are connected to state-of-the-art intelligent control software managing all showering operations.

Showertonic also has its own **battery back up** to give you **uninterrupted showers** in case of power failures. It also offers **convenience and safety features** like warm-up mode, auto clean, summer mode, thermal disinfection, on-screen alarms and auto cut-off.



CHOOSE THE ONE THAT'S RIGHT FOR YOU

ShowerTronic **— iV2**

ShowerTronic iV2 has 2 electronic valves to control the flow of hot and cold water to a choice of 3 different water outlets.

ShowerTronic **— iV6**


ShowerTronic iV6 has 6 electronic valves to control and disseminate water to as many as 6 different outlet options in your shower, including the body shower outlets that may be used simultaneously.



RAINJOY, THE SHOWER-SPA, WORKS BEST WITH SHOWERTRONIC

Rainjoy from Artize is the next step in extra large, concealed, overhead showers. Featuring clean, aesthetic lines, and an enviable size, Rainjoy is a shower that envelops you with an array of soothing sensations inspired by nature's brilliant, rejuvenating ways with water.

Offering a choice of showering modes like Rain, Intense, Waterfall and even Mist, the Rainjoy showering experience is a complete body bath that envelops the senses like a session at the spa!





SHOWERTRONIC iV6 Showering Concept-1

Modes: Intense and Body Shower

ShowerTronic iV6 allows Body Shower mode to run along with any other mode.





SHOWERTRONIC iV6 Showering Concept-2

Modes: Mist and Body Shower



ShowerTronic iV6 allows Body Shower mode to run along with any other mode.



SHOWERTRONIC iV2 Showering Concept-1

Mode: Rain

Only one mode can be used at a time with ShowerTronic iV2, even if it is the body shower.





SHOWERTRONIC iV2 Showering Concept-2

Mode: Mist



Only one mode can be used at a time with ShowerTronic iV2, even if it is the body shower.



SHOWERTRONIC iV2 Showering Concept-3

Mode: Body Shower



Only one mode can be used at a time with ShowerTronic iV2, even if it is the body shower.




FEATURES

Artize ShowerTronic has been designed to be easy to operate, totally safe and offer uninterrupted showering luxury even in tough, Indian operating conditions.

It has been developed and built with a range of features and benefits that will be seen not as luxuries but as necessities by anyone who experiences them.





AUTOMATIC STARTUP

The system can automatically set itself up after installation by determining and activating the outlets connected, the temperatures available in the hot and cold water lines and the maximum flow rates possible.

ShowerTronic iV6 also analyses and determines the flow rates possible when the Body Shower mode may be used in combination with another mode.



WARM UP MODE

This feature preheats the shower for you by flushing out cold water until the desired preset temperature is reached.



NO RISK OF SCALDING

The water temperature is kept constant with no surprising hot water shocks even if someone flushes the toilet or opens a faucet elsewhere in the house.



ROCK-STEADY WATER FLOW

ShowerTronic is a flow-static mixer as well. Its intelligent valves, sensors and software maintain the water's flow perfectly steady at the rate you choose.



PAUSE MODE

Perfect for when you're soaping or shampooing, ShowerTronic maintains and automatically finds the exact parameters of the shower when you restart it within 3 minutes of putting it in pause mode.

Whenever the system is Paused, the display also shows the water consumed until then.



A GREEN PRODUCT

The advanced technology inside every ShowerTronic allows the system to precisely monitor and display the water consumed. Every time the system is paused, it shows you the water used until then.

This gives you the ability to reduce water consumption through the choice of showering mode, as well as the water flow rate, to achieve the ideal balance between luxurious showering and responsible usage of water.





SUMMER MODE

When the seasons change and hot water is no longer required, the Summer Mode function allows the system to operate without hot water and offer better flow rates. However, do ensure that the water heater or boiler is switched off.



AUTO-CALIBRATION

Stabilises the water against any external change in pressure, water flow or temperature.





AUTOMATIC INTERNAL CLEANUP

Ensures perfect hygiene in the system with water-shock flushing from all outlets to remove internal impurities.



SETTINGS MEMORY

Store your preferred settings in its memory, including the water outlet of your choice, the flow rate, and of course the temperature. Now store up to 4 different users' preferences.



THERMAL DISINFECTION

Recommended to be done annually to ensure hygiene, this feature flushes hot water through all outlets for 5 minutes – at the maximum temperature available in the water heater.



ALARM DISPLAY

When the system spots problems that persist for over 5 seconds, you won't be left guessing.

- AL 1: Cold water leakage
- AL 2: Hot water leakage
- AL 3: Cold water failure
- AL 4: Hot water failure
- AL 5: Insufficient hot water temperature
- AL 6: Cold water temperature too high
- AL 7: Temperature sensor malfunction
- Er 1: Communication error



THE ADVANTAGE OF SHOWERTRONIC'S TECHNOLOGY

For delivering water at the desired flow rate and temperature, Artize ShowerTronic offers several key advantages over other systems - advantages that come from being an Intelligent Valve Sensor System.



No cartridges: no small electric motors or other similar parts that need to be recalibrated or replaced. It runs on intelligent software.



Handles differential pressures: even up to 5 Bar, between hot and cold water inputs.



High-precision sensors: to check water flow rate and temperature every 50 milliseconds for instant control and cut-off, if require.




Safety: low voltage (12V DC) compliance for wet areas.



PIEZO-ELECTRIC
TECHNOLOGY

Durability: great for continuous use thanks to the absence of friction, IP 54 components, and piezo-electric technology – which makes it India's first reliable, fully electronic thermostat.





THE 3 REQUISITES FOR SHOWERING LUXURY

All you need to start enjoying showering like never before, are the following in your bathroom:


1. Constant hot water supply (storage water heaters of at least 80 -100 ltr capacity)
2. Filtered and softened water supply
3. A minimum water pressure of 3 Bar in your cold and hot water supply lines



RAINJOY MODES

RAIN

Welcome the emptying of the clouds with arms wide open.



The Rain mode lets you enjoy an extra-large overhead shower zone for a complete body bath. With pearls of water streaming from every jet on the large shower head, the Rain mode's generous coverage is as rejuvenating as the monsoon's first downpour.

INTENSE


Feel the drums of the rain gods play a thrilling tune on your skin.



Concentrating a powerful flow of heavy drops into a small area from the central jets, the Intense mode is spread perfectly to fall on your head and shoulders, and relax and recharge you in minutes.

MIST

Lose yourself in the kiss of a million droplets a minute.



Four nozzles recreate the joy of being in a cloud as the Mist mode's floating blanket of feather-touch droplets gently covers you with freshness. Mist spray is created by forcing water through tiny holes, and this mode is great for hot summer days or after a long, hard work-out.


TWIN WATERFALL

Surrender to the power of the leaping river.



An unrelenting cascade (or two) of water that arches purposefully down your back, the Waterfall mode's therapeutic effect feels totally natural and timeless, and is perfect for kneading new life into tired backs and shoulders.


The showers that work best with **ShowerTronic** **IV6**



OSA-CHR-70005SH IV6

Rainjoy 600X472mm AISI 304 stainless steel in chrome finish with RGB LED lights remote control & with installation kit for false ceiling


- Chromo Therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 3-functions:
- Rain • Intense • 4 X Mist



OSA-CHR-70007

"Rainjoy 600X472mm AISI 304 stainless steel in chrome finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromo Therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 3-functions:
- Rain • Intense • Water Column"



OSA-CHR-70009

"Rainjoy 600X472mm AISI 304 stainless steel in chrome finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromo Therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 3-functions:
- Rain • Intense • 2 X Waterfall "



OSA-STL-70011

"Rainjoy 1000X750mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling


- Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain • Intense • Waterfall • Water Column "



OSA-STL-70015SH IV6

Rainjoy 1000X750mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain • Intense • Waterfall • 6 X Mist




OSA-CHR-70003SH IV6

Rainjoy 480 X 330mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling

- 2-functions:
- Rain • 4X Mist
- Best fit with IV2 & IV6




The showers that work best with **ShowerTronic** **iV2**



OSA-CHR-70001SH iV2
Rainjoy 370 X 250mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling

- 2-functions:
- Rain • 2X Mist


• Best fit with iV2 only



OSA-CHR-70003SH iV6
Rainjoy 480 X 330mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling

- 2-functions:
- Rain • 4X Mist

• Best fit with iV2 & iV6



OSA-CHR-70013SH
Rainjoy 480X330mm AISI 304 stainless steel in chrome finish without installation kit for false ceiling

- 2-functions:
- Rain • Waterfall



OSA-CHR-70049
Overhead Shower 350X350mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System.




OSA-CHR-70051
Overhead Shower 400X400mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System.

iV6 & iV2 Comparison

Details	iV6	iV2
No. of Outlets	6	3
Min Flow Rate	8L/M	6L/M
Max Flow Rate	78L/M (free flow) 2 Outlets - (Rain + Body Shower)	25L/M (free flow) 1 Outlet
Max Pressure Differential	4.5 Bar	4.5 Bar
Min Pressure	1.5 Bar	1.5 Bar
Max Pressure	6 Bar	6 Bar (Dynamic)
Power Supply - DC	12 V	12 V
No. of User Setting	4	4
Voltage Spikes Protection	✓	✓
Battery Backup	✓	✓
Special Functions		
Automatic Startup	✓	✓
Pause Mode	✓	✓
Water Consumption Display	✓	✓
Quick Start Mode	✓	✓
Summer Mode	✓	✓
Warm-up Mode	✓	✓
Troubleshooting And Maintenance Alarms		
Automatic Internal Clean Up	✓	✓
Thermal Disinfection	✓	✓
Alarm Display	✓	✓
System Components		
Touch Pad	✓	✓
CPU	✓	✓
Power Supply System	✓	✓



THE SHOWERTRONIC TOUCHPAD





For any installation and maintenance related enquiry
please call Customer Care at 18001216808 (Toll Free)
or email us at info@artize.com

ARTIZE, A TRIBUTE TO LUXURIOUS CRAFTSMANSHIP

Artize, a luxury bath brand from the Jaquar Group, has been introduced to cater to customers who aspire for luxury in their bathing spaces. The brand aims at excellence at all levels and seeks to surpass global standards of quality and design. Artize pays tribute to the fine traditions of exquisite craftsmanship and precision through a wide range of products that are designed to create trends in the bathing industry.

A perfect balance of design, quality, production standards, technology and precision combine to produce the masterpiece called Artize.